

**PRASAR BHARATI
DIRECTORATE GENERAL: DOORDARSHAN
(ENGINEERING PURCHASE WING)
DOORDARSHAN BHAWAN
NEW DELHI**

No. 19(2)2010-11 EI(P)TV

Dated: 07.06.2010

CORRIGENDUM

With reference to this Directorate NIT "Global Tender No. PB/DG:DD/NIT/2010-11/EI(P)TV/01" Dated: 16.04.2010, the following corrections are decided:

1. In Tender No. 14(1)10-11/EI(P)TV for Flyway DSNG (C-Band) System, the corrected value of EMD Amount is Rs. 19.2 lakh / US\$ 41740/-.
2. In Tender No. 8(1)10-11 EI(P)TV for SITC of Automated Play Back Facility in HDTV Format at Delhi, the corrected value of EMD Amount is Rs. 10 lakh / US\$ 21740/-.
3. The term "Public Sector Bank" may be read as "Commercial Bank" on Page No. 3, 15, 30, 50, 75, 77 & 78 of the Tender Document.
4. On Page No. 78, Para 2 of the Tender Document the words, "subject to maximum ceiling of Rs. 2.00 (two) lakh" stands deleted.

All other terms and conditions of the Tender Document remain same.



Preminder singh
(Assistant Engineer)
For Director General
Tele/ Fax 23387620
E-mail:- ddpurchase401@yahoo.co.in